

RISK ASSESSMENT

Forth Region

Name of Activity / event/ location	Use of Barrwood Reservoir store equipment	Date of Risk Assessment	22/6/21	Name of who Undertook this risk assessment	A Wallace
------------------------------------	---	-------------------------	---------	--	-----------

Hazard Identified? / Risks from it	Who is at risk?	How are the risks already controlled? What extra controls are needed?	What has changed that needs to be thought about and controlled?
<i>Hazard – something that may cause harm or damage Risk – the chance of it happening</i>	<i>Young people, Leaders, Visitors</i>	<i>Controls – Ways of making the activity safer by removing or reducing the risk from it. For example – you might use a different piece of equipment or you might change the way the activity is carried out.</i>	<i>Keep Checking throughout the activity in case you need to change it...or even stop it! This is a great place to add comments which will be used as part of the review</i>
Use of Barrwood Reservoir store water equipment	All	All equipment must be booked out via a reservoir booking. It is up to the user to ensure relevant permits / authorisations are in place. Only one reservoir booking allowed per day due to Covid restrictions. <u>This RA must be used along with a group / activity RA provided by the users.</u>	
Covid precautions for Water equipment	Participants	No equipment is to be shared unless suitable mitigations covered by activity RA Buoyancy Aids and Helmets must not be shared. All should sanitise hands before taking part and at regular intervals. All equipment to be cleaned using a disinfectant spray or wipe before being returned to proper storage. It is the responsibility of the user to provide and remove spray and wipes used for disinfecting purposes.	
Covid precautions for Inflatables	Participants	Inflatables aren't suitable for cleaning and must be quarantined for 72 hours – booking via Mark Wallace on markmwallace@live.co.uk	

Additional information can be found in the Safety Checklist for Leaders and other information at scouts.org.uk/safety

Review due:

A risk assessment needs reviewing if circumstances change but also schedule regular reviews to ensure they are current, minimum annually. The review must include a detailed look at each element of the risk assessment in order to establish if any change is required.

RISK ASSESSMENT

Forth Region

Covid precautions for use of building	Leaders	Leaders only inside the building to access the equipment – following current government / Scout guidelines	

Additional information can be found in the Safety Checklist for Leaders and other information at scouts.org.uk/safety

Review due:

A risk assessment needs reviewing if circumstances change but also schedule regular reviews to ensure they are current, minimum annually. The review must include a detailed look at each element of the risk assessment in order to establish if any change is required.